

CONTENTS

WELCOME TO MILLBOARD	
WE ARE MILLBOARD	3
TRULY BRITISH	4
CARBON VERIFIED	5
WHAT IS MILLBOARD	6
INSPIRATION	7
THE COLLECTION	25
ESSENTIAL FINISHING TOUCHES	29
ESSENTIAL FIXTURES AND FITTINGS	33
THE INSTALLATION	39
QUESTIONS AND ANSWERS	41
HOW TO ORDER	45





THE WORLD'S ONLY CARBON VERIFIED PREMIUM WOOD-FREE OUTDOOR FLOORING*

*No trees were harmed in the manufacturing of Millboard decking.

1.31kg/CO₂e per m²


When you install Millboard decking, it's not just a beautiful outdoor space you are investing in, you are also investing in a low carbon material. Millboard is focused on continued sustainability and we have become the first premium outdoor flooring company in the world to have our carbon footprint independently verified.

We set out to replicate the beauty of wood and natural timber without all the flaws of a natural product and by doing so, we have produced a premium wood-free outdoor flooring board which is manufactured using the least amount energy and carbons possible - leaving wood where it should be, growing gracefully in the ground just as nature intended.

For full details of our carbon credentials please visit millboard.co.uk/our-vision


WHAT IS MILLBOARD?

Millboard® combines the natural beauty of real timber with the high performance of our unique wood-free material.



Where even the highest quality hardwood can warp, fade and quickly lose its original appeal, Millboard decking is crafted using a composite, designed for outdoor conditions. Made from Lastane®, the textured top surface creates a resilient, virtually maintenance-free layer, designed to resist algae and prevent slipping, even in wet conditions.

Beneath this durable top layer lies a wood-free polymer resin core, reinforced with fibre for extra strength and durability, which means that it won't expand or contract, warp or rot, like timber or composites made using wood. And because Millboard decking is made in Britain using innovative techniques, it's also eco-friendly too.



ROOM WITH A VIEW

When it comes to outdoor spaces, beauty comes in all shapes and sizes. Whether you've a bijou balcony or a generous terrace, Millboard decking creates a lifestyle setting. And because its unique wood-free composition won't rot or warp, you needn't worry about costly or time-consuming maintenance.

Smoked Oak







MAKE A FRESH START

The Millboard collection's amazing choice of styles, finishes and colours enables you to transform any outdoor space with minimal effort. Create a lavish outdoor living room or entertaining space to share with family and friends, or a peaceful deck just for you. The possibilities are endless.

Smoked Oak





Real homes

SANCTUARY IN THE CITY

Create your own private urban hideaway with the only resin mineral board flooring to offer the look and feel of wood without the hassle and maintenance. In fact, Millboard decking is just what busy city dwellers and their precious outdoor spaces are looking for.



Ultra low maintenance

unlike wood







THE HIGH LIFE


Those seeking the highest quality flooring to match their elevated view need look no further. Style-conscious hosts choose Millboard decking for its amazing resistance to food and drink stains, its suitability for year-round use, as well as its inimitable wow factor.



millboard.co.uk

Real homes

TO INFINITY AND BEYOND








Real homes

THINK INSIDE OUT

Bring a sense of the outdoors in, and vice versa, with spaces that seamlessly flow from one to the other. Millboard decking is perfect for achieving such a look, all thanks to its soft feel and hidden fixings. See page 37 for more details.







Smoked Oak



♠ Smoked Oak


Real homes

BESIDE THE SEASIDE

Lucky enough to have a home somewhere gloriously sun-kissed? Millboard decking is UV resistant, retaining its hand-finished colour and lustre for many years to come—perfect for beach houses and coastal getaways.



Smoked Oak







INSPIRED BY NATURE

Millboard decking brings outdoor spaces the characterful look and feel of real timber without any of the drawbacks such as warping, splinters, high maintenance and high slip risks. Little wonder it's the flooring of choice for a variety of commercial spaces and uses.

C Driftwood



THE CALL OF THE WILD

Inspired by the raw beauty of nature, every board is moulded from real, hand-selected vintage oak timbers, carefully capturing the wood's distinctive grain, before being hand-coloured for the most authentic look possible. It's time to discover the ultimate wood-free alternative.

Vintage 🔵





The Milbourd

The Collection

MILLBOARD ENHANCED GRAIN

Moulded from planed timber for a textured slip resistant look and feel, our Enhanced Grain collection's contemporary design accurately recreates the subtle nuances of natural wood. Each of the seven colours showcases the grain beautifully.

Board size: 176 x 3600 x 32mm

Available in seven colours, refer to swatch



MILLBOARD LASTA GRIP

Our Lasta-Grip® collection's textured design offers a high anti-slip rating without the rough feel of other gritted strip boards. Offering safety first, Lasta-Grip® is high grip without the rip.

Perfect for public spaces, by the pool, play areas and anywhere there's rain or water.

Board size: 200 x 3600 x 32mm Available in two colours, refer to swatch



IT'S MORE THAN JUST A BOARD.

Introducing Millboards complete decking solution.

Our unique, hidden composite decking fixings make installation simple and preserve its unique difference to all conventional composite decking. The ideal companion for our all-weather flooring is Plas-Pro, a durable, hard-wearing and practical sub-frame material for spaces exposed to damp. Our adjustable pedestal supports are ideal for podium decks and terraces. Their smart design allows pipe work and services to be laid beneath Millboard composite decking, while also improving breathability and preventing rot.

Joist Cradles



Fascia and Bullnose Board

Durafix® Stainless Steel fixing



Pedestals



Square Edge





VINTAGE OAK 500ml - Code: AP500V

COPPERED OAK 500ml - Code: AP500C

GOLDEN OAK

500ml - Code: AP500G



BRUSHED BASALT

DRIFTWOOD/ SMOKED OAK 500ml - Code: AP500D



LIMED OAK

500ml - Code: AP500L





JARRAH 500ml - Code: AP500J



EMBERED/ BURNT CEDAR

500ml - Code: AP500R



ANTIQUE OAK 500ml - Code: AP500A

Essential Finishing Touches

TOUCH-UP COATING RANGE

Touch-Up Coating is perfect for blending in exposed cut ends and is available in eight colours to match your Millboard decking. It is not a substitute for Millboard Edging. Supplied in 500ml tins.

These swatches are representative only.

Essential Information

COLOUR TONE VARIANCE

To recreate the aesthetics of natural products, we intentionally add secondary toning colours. There may be variance within the same board or from board to board in colour tone. This means that samples cut from boards may vary from the general colour of the boarding.

With our range of colours, you can choose what is best for you. As with all products, the darker colours will feel warmer in sunny exposed locations. The lighter colours are normally used in such locations.

Whilst every care is taken to ensure consistency some colour variation from batch to batch may occur. To avoid this, we recommend that you order all you need in one delivery. If you do have different batches it is best to mix the batches to blend the colours.

As with all things constantly exposed to UV and weather stability, colours will tone slightly in time, this is normal for decking. On delivery if you find the colour unacceptable or believe them to be defective in any way, do not install the boards.

Colour tone may vary from batch to batch






100 x 100 x 3000mm - Plas-Pro post - P1010B300

50 x 50 x 2400mm - Plas-Pro bearer - P0505240

125 x 50 x 3000mm - Plas-Pro joist - P1205B300

60 x 30 x 2800mm - Plas-Pro joist - P0603H280




33



Essential

SUBFRAME AND SUPPORT

The ideal companion for our all-weather flooring, and a durable and practical solution for spaces exposed to damp, such as jetties, fishing platforms, pools, roof terraces and boardwalks. View our 'How to' videos on **millboard.co.uk/how-to-videos**



Self-levelling pedestal





ADJUSTABLE JOIST CRADLE

Our plastic joist cradles are the ideal foundation when installing on roof terraces or over patios. The joist cradles also have an acoustic benefit to help reduce sound transfer. Quick and easy to install their height is adjustable from 10-40mm.

Number per m^{2*}

Residential 5.0
Commercial 8.0

* Approx number - quantities may vary according to project design

Adjustable Joist Cradle Code: PJ40

PEDESTALS

Our adjustable self-levelling pedestals are ideal for podium decks and terraces. The 'self-levelling' head ensures easier, faster and more stable installations. Their smart design allows pipe work and services to be laid beneath Millboard decking, while also improving breathability and reducing rot which can occur to roof timbers or a timber sub structure. The weight of the joist is spread evenly, creating a sturdy support, and reducing pressure on the membrane. They're available in five adjustable sizes, giving a complete height range from 40-210mm. A 100mm Extension Collar provides for greater heights.

Floating Head Adjustable	Height	Code
	40-56mm	PPA056
	50-70mm	PPA070
	70-110mm	PPA110
	110-160mm	PPA160
	150-210mm	PPA210
Extension Collar	100mm	PPC100

Number per m^{2*} Millboard

Residential 5.0
Commercial 8.0



35

^{*} Approx number - quantities may vary according to project design





Adjustable joist cradle

Essential

FIXTURES AND FITTINGS

Complete your Millboard outdoor space with essential fixtures and fittings to ensure the perfect fit and performance for years to come. View our 'How to' videos on millboard.co.uk/how-to-videos









Essential

FIXTURES AND FITTINGS

Complete your Millboard outdoor space with essential fixtures and fittings to ensure the perfect fit and performance for years to come. View our 'How to' videos on millboard.co.uk/how-to-videos







The Installation

GET AN APPROVED INSTALLER

Looking for an APPROVED Installer? Millboard have a growing national team of professional, trained and qualified APPROVED Installers. Simply visit millboard.co.uk/locator, type in your postcode and contact one of our APPROVED Installers, safe in the knowledge that they have the competency, training and installation skills required to meet your requirements and install your Millboard decking.



QUESTIONS AND ANSWERS

WHERE CAN I USE MILLBOARD DECKING?

Millboard decking is extremely versatile and can be used in practically every outdoor space. Create decks, balconies, roof gardens, boardwalks, bridges, pontoons, seating, steps, planters and more.

DO I NEED TO SEAL THE BOARDS?

No, all boards are surface sealed in the factory to ensure they arrive in premium condition. In the first few weeks of use, rainwater will sit on the surface in globules, but don't worry—this is normal and will stop once the temporary surface seal breaks down.

DO THE BOARDS MARK?

The Lastane® finish is highly resistant to scratches and food and drink stains, and everyday wear and tear. Sharp objects such as unprotected table or chair legs, spiked shoes or metal planter bases can leave marks if dragged across the surface, so take care when moving these items around. The risk of marking from strong dyes and stains such as berries and animal droppings will be reduced if removed as soon as possible.

HOW DO I CLEAN MILLBOARD DECKING?

Because Millboard decking is made of non-porous composite, it resists mossy build-up and stains, so needs very little maintenance. To remove spills and marks, simply use a mild detergent and a brush. Just steer clear of solvents, chemicals and abrasive cleaners that could damage your decking—and there's normally no need for pressure washing.

ARE THE BOARDS ANTI-SLIP?

Yes, in BS79.76 slip resistance tests, all styles of Millboard decking achieve one of the highest anti-slip ratings, even in wet conditions.

CAN YOU RECOMMEND AN INSTALLER?

A nationwide network of APPROVED Installers are available at www.millboard.co.uk. Chosen for their professionalism and high quality, you should always follow normal precautions before entering into a contract with a third party, especially if a deposit payment is required.

ARE THE COLOURS CONSISTENT?

As with all flooring, we advise buying all the boards you need at the same time to help ensure that the colour is as consistent as possible. If you don't order all your boards at once, you can blend different batches to create only subtle variation throughout your space.

CAN THE BOARDS BE CUT JUST LIKE WOOD?

Millboard decking can be cut with standard saw blades, although we recommend a carbon-tipped, multipurpose chop saw. As the formed end of the board is lost when cut, these can be placed in less visual areas against a wall or edging profile. Matching Touch-up Coating for exposed ends is available to buy separately. See page 31.

WHAT FIXINGS SHOULD BE USED TO FIX THE BOARDS?

Following extensive trials, we recommend and supply Durafix® stainless steel screws, designed specifically for Millboard decking . There's no need to pre-drill or countersink and the unique Lastane® material self-heals, leaving a virtually indistinguishable mark on the surface. See pages 37 and 38.

WHAT IF IT SNOWS OR IS ICY?

A small amount of granulated white salt can be used to keep your Millboard decking ice-free. Please don't use rock salt, as this contains clay and grit and can be abrasive. When winter's over, clean the surface with soapy water and a soft broom.

DOES MILLBOARD DECKING GET HOT IN THE SUN?

CAUTION—In high temperatures or prolonged bright sunlight the boards can become hot. Please exercise caution before walking barefoot on to Millboard decking in circumstances where it is in high temperatures and exposed to sunlight. In these circumstances, it may be necessary to use footwear. You should not use Millboard decking in areas that are affected by heat reflective glass.

DOES MILLBOARD DECKING COME WITH A WARRANTY?

For more information go to millboard.co.uk/warranty-registration

SOMETHING ELSE?

For any other technical, installation or care questions, go to www.millboard.co.uk, call our technical team on 024 7643 9943, or email us at enquiries@millboard.co.uk

ORDER MILLBOARD SAMPLES

There's nothing like seeing Millboard decking for yourself. Simply go to www.millboard.co.uk to order your free samples.





GET YOUR MILLBOARD IN FOUR EASY STEPS



Step One

INSPIRE

Okay, so you're looking for a stylish but practical outdoor flooring area, to relax or entertain, and want to know where to start. Take a look at our inspiration galleries at millboard.co.uk/gallery



Step Two

CHOOSE

Once you have decided which Millboard decking you like, order a sample at **millboard.co.uk/samples** or visit one of our KEY Distributors or display centres to discover the beauty of Millboard for yourself



Step Three

BUILD

If you want to install your own deck, visit our resource centre at millboard.co.uk/help-advice for 'how to' videos and download our installation manual. If you want a professional installer then find one of our APPROVED Installers at millboard.co.uk/locator



Step Four

ENJOY

Relax and Live. Life. Outside; in the comfort of knowing you have a premium Millboard outdoor flooring solution, free from algae, splinters, food and drink stains and is slip-resistant even when wet

45

MILLBOARD ENHANCED GRAIN

Board size: 176 x 3600 x 32mm



BRUSHED BASALT- MDE176B



COPPERED OAK - MDE176C



GOLDEN OAK - MDE176G



LIMED OAK - MDE176L



SMOKED OAK - MDE176D



JARRAH - MDE176J



BURNT CEDAR - MDE176R



ANTIQUE OAK - MDE176A

MILLBOARD WEATHERED OAK

Board size: 200 x 3600 x 32mm



VINTAGE OAK - MDW200V



EMBERED - MDW200R



DRIFTWOOD - MDW200D

MILLBOARD LASTA GRIP

Board size: 200 x 3600 x 32mm



COPPERED OAK - MDL200C



GOLDEN OAK - MDL200G



MILLBOARD SQUARE EDGING

Square edging: 50 x 3200 x 33mm



MILLBOARD BULLNOSE EDGING

Bullnose board (MEBB): 150 x 3200 x 32mm Bullnose edging flexible (MEBF): 50 x 2400 x 33mm



ANTIQUE OAK - MEBB150A/MEBF50A

MILLBOARD FASCIA BOARD

Board size: 146 x 3200 x 16mm



