

## **REGENCY FG39** Direct Vent Gas Freestanding



This Regency gas log fire features the finest, most realistic flame picture available. Enjoy the exceptional view through the wide one piece glass door designed to showcase the glowing flames and embers. With room sealed direct vent technology, you can vent up and out of your home saving money on complicated installations.

### **STANDARD FEATURES**

- Direct vent room sealed technology
- Natural gas 8.3 kW Output
- Natural gas 40 MJ Input
- Enhanced log set and embers
- Ceramic glass
- Dress guard
- Flame adjustment (6 settings)
- Black louvres
- 3-speed fan

#### **OPTIONS**


- Brushed nickel louvres
- Propane Conversion Kit
- Propane 7.9 kW Output
- Propane 38 MJ Input
- Vertical or Horizontal Flue termination
- FireGenie® remote control (recommended)



FireGenie® RF remote control

regency-fire.com.au


## **SPECIFICATIONS (mm)**



| Dimensions | А   | В   | С   | D   |
|------------|-----|-----|-----|-----|
| FG39       | 660 | 762 | 432 | 448 |

### **CLEARANCES (mm)**

| Min. Clearances to Combustibles | A   | В   | С  |
|---------------------------------|-----|-----|----|
| FG39                            | 190 | 150 | 50 |



#### DIRECT VENT TECHNOLOGY



Direct vent technology means that you can install a Regency fire almost anywhere in your home - no chimney needed. From the top of the unit, simply vent your fire through the roof or an exterior wall. Direct vent means that you have sealed combustion – outside air is brought in through the vent for combustion and the combusted air is sent back out – your indoor air is not affected.

**Distributor NZ Aber Holdings Ltd** 

PO Box 10095, Te Rapa, Hamilton 3241

17 Mainstreet Place.

Phone: 64 7849 7585

New Zealand



# for your nearest dealer visit: **regency-fire.com.au**

or call 1800 081 978

Fireplace Products Australia Pty Ltd. 99 Colemans Road, Dandenong South, Vic, 3175 Phone: 1 800 081 978 Email: sales@regency-fire.com.au

Distributor WA Air Group Australia 28 Division St, Welshpool WA 6106 Australia Phone: 08 9350 2200

Disclamer: Not all products are available in all territories.

 $\odot$ 2022 FPI Fireplace Products International Ltd. Regency is the registered and/or proprietary trademarks of FPI Fireplace Products International Ltd. All rights reserved. (02/22)

Your Regency Dealer



## REGENCY DVi34L Direct Vent Gas Insert



The DVi34L gas log insert is modern and contemporary styled heater that will fit into most existing fireplaces creating the ambience of a wood fire along with the efficiency and convenience of a realistic gas log fire.

### **STANDARD FEATURES**

- Contemporary design suits multiple installation options
- Direct vent room sealed technology
- Natural Gas 32MJ Input 6.2kW Output
- Enhanced log set and embers
- Ceramic glass with invisi-mesh screen
- Flame adjustment
- Electronic ignition
- FireGenie RF (Radio Frequency) remote control with timer & thermostat function
- 2-speed fan

## OPTIONS


- Spacer can be used with more shallow firebox depths
- Propane & ULPG conversion kits
- Reflective Stainless Insert\*
- Propane 31Mj Input 6.1kW Output
- ULPG 26Mj Input 5.3kW Output
  \* While Quantity Last




FireGenie® RF remote control



## **SPECIFICATIONS (mm)**



| Dimensions | A   | В   | с   | D   | E  | F   |
|------------|-----|-----|-----|-----|----|-----|
| DVi34L     | 780 | 560 | 401 | 324 | 44 | 565 |



**COMPLETED FACEPLATE & SPACER ASSEMBLY** 

2.7

Έ

В

| Width | Height | Depth |
|-------|--------|-------|
| 909   | 640    | 52    |


| Faceplate Dimensions | Width | Height | Dej |
|----------------------|-------|--------|-----|
| DVi34L               | 909   | 640    | 2.7 |

| Minimum<br>Fireplace Opening | Width<br>(front) | Width<br>(rear) | Height | Depth |
|------------------------------|------------------|-----------------|--------|-------|
| DVi34L                       | 780              | 600             | 586    | 406   |
| DVi34L (with spacer)         | 680              | 600             | 586    | 353   |

## CLEARANCES (mm)

| Minimum Clearances<br>To Combustibles                        | A   | В    | C* (MIN.) |  |
|--|-----|------|-----------|--|
| DVi34L   | 255 | 1205 | 330       |  |
| *For other mantle clearances place check your product manual |     |      |           |  |

For other mantle clearances please check your product manual. A,B,C area measured from the side trim of the unit.



# for your nearest dealer visit: regency-fire.com.au

or call 1800 081 978

Fireplace Products Australia Pty Ltd. 99 Colemans Road, Dandenong South, Vic, 3175 Phone: 1 800 081 978 Email: sales@regency-fire.com.au

when installed with a vertical flue kit on NG

Distributor WA Air Group Australia 28 Division St, Welshpool WA 6106 Australia Phone: 08 9350 2200

Disclamer: Not all products are available in all territories.

©2022 FPI Fireplace Products International Ltd. Regency is the registered and/or proprietary trademarks of FPI Fireplace Products International Ltd. All rights reserved. (02/22)

**Distributor NZ Aber Holdings Ltd** 17 Mainstreet Place, PO Box 10095, Te Rapa, Hamilton 3241 New Zealand Phone: 64 7849 7585

Your Regency Dealer