

Fire, both open and closed



Stûv Stories +Stûv 21

A pure mix of an open and closed fire

stuv.com

Stûv Stories

Welcome to the world of Stûv! Our products provide ways to layout and rearrange your interior. The story that they tell is straightforward and warm, simple and efficient. A story where appearance is functional and where objects blend into the architecture. Quality and perfection are the watchwords at Stûv. To improve is to simplify. This means humanising design. It also means constant innovation until a perfect harmony is found between pleasure and respect for the environment. Stûv is a state of mind.



Stûv Stories +Stûv 21

Stûv, the creator of the retractable glass door




Stûv Stories +Stûv 21-family

A family of products both open and closed



The Stûv 21 range is a typical family. Sober and discrete, with a focus on the purity and beauty of the fire. However, it is also an open family full of warmth and fun. A fire which is open and closed at the same time thanks to the window which can be opened partially of fully. The Stûv 21 is available in a single-face or double-face model and in a number of different sizes. The frames, front panel and casing complement the fire to ensure a perfect finish and enhancement. The Stûv 21 family, the unique combination of optimum performance and atmosphere.






the perfect marriage between Sobriety and atmosphere

Stûv Stories

The value allows one to regulate the volume of air entering the apparatus and therefore the amount of heat released.



The glass door of the Stûv 21 slides into the frame and can be fully retracted behind the front panel.

In order to facilitate the cleaning and maintenance of the window, the frame can be tipped witnout having to dismantle it.

Stûv Stories +Stûv 21


By professionals, for fire lovers

Stûv Stories +Stûv 21-65-C

- + Heat output regulation
- + Ability to be connected to the outside air
- + Air-funnelling option
- + Fan option




Choose a suitable frame



Stûv SF4: large frame available in many different colours. Also available in customised sizes.



Narrow frame in Shubrey steel



Thin frame in 4mm Sturbrey steel



Stûv Stories +Stûv 21-65-H

- + Heat output regulation
- + Ability to be connected to the outside air
- + Air-funnelling option
- + Fan option

Stûv Stories +Ready-to-fit SF15 fireplace



- + Steel chimney integrating air convection inlets and outlets no need for decorative grilles
- + Easy installation
- + The front panel can open to allow maintenance or access to regulation elements.



Stûv Stories +Stûv 21-75

- + Heat output regulation
- + Ability to be connected to the outside air
- + Air-funnelling option
- + Fan option

Enjoy your fire the way you want it

Stûv Stories +Stûv 21-85

- + Heat output regulation
- + Ability to be connected to the outside air
- + Air-funnelling option
- + Fan option
- + Available in two interior shades: light or dark



A stylish fire...


model shown: Stûv 21-85 light interior with façade SF2 RAL 9010

Sober, it blends perfectly into any interior



Stûv Stories +Stûv 21-95

- + Heat output regulation
- + Ability to be connected to the outside air
- + Air-funnelling option
- + Fan option



Stûv Stories +Stûv 21-105

- + Heat output regulation
- + Ability to be connected to the outside air
- + Air-funnelling option
- + Fan option
- + Available in two interior shades: light or dark

Integration of fire into the architecture





Stûv Stories +Stûv 21-105 SF8



- + Steel frame finish with lateral extensions
- + Perfect harmony with the fire
- + Available made-to-measure

Stûv Stories +Stûv 21-125

- + Heat output regulation
- + Air-funnelling option

M

11

11

+ Fan option

Stûv Stories +Stûv 21-135

- + Heat output regulation
- + Air-funnelling option
- + Fan option



Finish shown: Stûv 21-135 with frame SF4 RAL 9010

Stûv Stories +Stûv 21-75DF

- + Heat output regulation
- + Ability to be connected to the outside air
- + Air-funnelling option
- + Fan option



Stûv Stories +Stûv 21-85DF

- + Heat output regulation
- + Ability to be connected to the outside air
- + Air-funnelling option
- + Fan option



Double face: glass door retractable on both sides

Stûv Stories +Stûv 21-95DF

- + Double face: glass door retractable on both sides
- + Heat output regulation
- + Ability to be connected to the outside air
- + Air-funnelling option
- + Fan option



Stûv Stories +Stûv 21-125DF


- + Double face: glass door retractable on both sides
- + Heat output regulation
- + Ability to be connected to the outside air
- + Air-funnelling option
- + Fan option




Stûv Stories +Facades


- + Subtle colours, designed in collaboration with colourist Bernard Gilbert
- + Perfect harmony with the fire
- + Colours give different tones during the course of the day








SF1 AIR*




SF2





SF2 AIR*


Front panels in wonderful colours












Stûv Stories +Ready-to-fit fireplaces


- + Available in a selection of 19 colours
- + Also available in rust
- + Direct inlet of exterior air






Front panels to suit the tastes of all generations!





Stûv Stories +Stûv 21

Wonderfully purified design



- 1 Combustion air. Illustration with direct air intake under the stove. The outside air intake can also be located at the rear of the stove.
- 2 Combustion. The air intake, the combustion chamber and smoke exhaust form an airtight system.
- 3 The air is taken into the room then heated by the stove.
- 4 The hot air is exchanged with the convection air which flows along the combustion chamber.
- 5 Heated air is spread throughout the room thanks to natural convection.
- 6 Burnt gases are released via the flue. Illustration with vertical discharge.
- The window cleaning system involves an air supply that takes flue gasses away from the glass. This means that you can have flickering flames at all times.

Stûv Stories +Stûv mobilobox and log trolley



- + Mobilobox: everything is to hand (matches, maintenance products, barbecue kit, kindling etc.)
- + User-friendly log trolley, with simple and sleek lines: an essential accessory for all Stûv stoves.

Stûv Stories +Stûv barbecue

Would you like to feel like you do in the summer all the year round? Now it's possible! Cooking food is healthier with the Stûv barbecue, as it is placed in front of the flames and not above the embers. Kebabs, sausages or fish is cooked in this way by radiation and not likely to get burnt by the drops of grease which flare up when they come in contact with burning charcoal. Installing the grill on the stove is child's play and, so that nothing spoils your pleasure, the chimney draught sucks away all the smells!



Stûv 21 technical









technical specifications	Stûv 21/65 C	Stûv 21/65 H	Stûv 21/75 SF	Stûv 21/85 SF	Stûv 21/95 SF	
weight kg	155	197	182	234	292	
nominal heat power kW	7	12	10	13	15	
optimum output range kW	5-12	8-12	8-11	8-14	10-18	
efficiency %	76	78	80	78	76	
CO emissions %	0,08	0,06	0,07	0,08	0,09	
particle emissions* mg/Nm3	65	13	16	22	18	
range of wood consumption** kg/h	1,5-3,5	2,3-3,7	2,2-3,1	2,3-4,0	2,9-5,3	
length of logs V / H - cm	33/33	33/50	50/50	50/50	60/50	
outside air intake ø mm	100	100	100	100	100	
patent	1445541	1445541	1445541	1445541	1445541	
Options	Stûv 21/65 C	Stûv 21/65 H	Stûv 21/75 SF	Stûv 21/85 SF	Stûv 21/95 SF	
+ open fire possible	S	S	S	S	S	
+ barbecue kit	0	0	0	0	0	
+ outside air connection	0	0	0	0	0	
+ electric ventilation	0	0	0	0	0	
Dimensions	21/65-C SF	21/65-H SF	21/75 SF	21/85 SF	21/95 SF	
+ (A) width mm	650	650	750	850	950	
+ (B) depth mm	440	490	490	540	590	
+ (C 1) max. height mm	1165	1455	1137	1295	1455	
+ (C 2) min. height mm	1010	1225	1005	1115	1225	
+ (D) width of the glass mm	470	470	570	670	770	
+ (E) height of the glass mm	470	615	456	535	615	
+ (F) width of the opening mm	584	584	684	784	884	
+ (G) height of opening mm	539	683	524	603	683	
+ (H) duct diameter – Ø mm	180	200	180	200	250	
+ (I) position of the duct mm	171	196	186	201	221	


* measurement method in accordance with DIN +


** at 12 % humidity

- V/H vertical position/horizontal position
- o optional
- s standard
- not available

	Jury Jury	In the state	S,	all way
--	-----------	--------------	----	---------


Stûv 21/105 SF	Stûv 21/125 SF	Stûv 21/135 SF	Stûv 21/75 DF	Stûv 21/85 DF	Stûv 21/95 DF	Stûv 21/125 DF
224	305		187	236	297	310
19	21	20	19	22	22	27
7–19	11-23	11-21	9-19	11-21	12-27	14-27
84	76	76	75	75	76	72
0,09	0,10	0,08	0,08	0,06	0,05	0,21
15	22	64	30	15	31	31
1,9–5,1	3,2-6,6	3,2-6,2	2,8-6,1	3,3-6,3	3,6-8,0	4,3-8,3
33/80	50/100	50/100	-/50	-/50	-/50	-/100
100	-	-	100	100	100	-
1445541	1445541	1445541	1445541	1445541	1445541	1445541
Stuv 21/105 SF	Stuv 21/125 SF	Stûv 21/135 SF	Stuv 21/75 DF	Stuv 21/85 DF	Stuv 21/95 DF	Stûv 21/125 DF
S	S	S	S	S	S	S
0	0	0	0	0	0	0
0	-	-	0	0	0	-
0	0	0	0	0	0	0
21/105 SF	21/125 SF	21/135 SF	21/75 DF	21/85 DF	21/95 DF	21/125 DF
1050	1250	1350	750	850	950	1250
496	563	500	670	670	670	670
1040	1295	1040	1136	1295	1455	1295
-	1115	-	1005	1115	1225	1115
870	1070	1170	570	670	770	1070
400	535	400	456	535	615	535
984	1184	1282	684	784	884	1184
469	603	469	524	603	683	603
200	300	250	250	250	250	300
201	221	203	336	336	336	336





Stûv 21 Facades

		SF1	SF1 AIR	SF2	SF2 AIR	SF4	SF5	SF6	SF8
21/65H	н	-	-	-	-	1164	-	2010	-
	L	-	-	-	-	1064	-	884	-
	E	-	-	-	-	24	-	70	-
21/75	Н	1270	1430	1270	1430	1004	2010	2010	-
	L	1084	1084	1584	1584	1164	984	984	-
	Е	200	200	200	200	24	170	70	-
21/85	н	1370	1530	1370	1530	1084	2000	2000	-
	L	1184	1184	1684	1684	1264	1084	1084	-
	Е	200	200	200	200	24	170	70	-
21/95	н	1490	1650	1490	1650	1163	2000	2000	-
	L	1284	1284	1784	1784	1364	1184	184	-
	Е	200	200	200	200	24	170	70	-
21/105	н	-	-	1164	1325	949	2000	-	481
	L	-	-	1884	1884	1464	1284	-	2400
	Е	-	-	200	200	24	170	-	100
21/125	Н	1370	-	1370	-	1084	2000	2000	-
	L	1584	-	2084	-	1664	1484	1484	-
	Е	200	-	200	-	24	170	70	-
21/135	Н	-	-	-	-	918	-	-	-
	L	-	-	-	-	1724	-	-	-
	Е	-	-	-	-	24	-	-	-



Stûv 21 Ready-to-fit fireplaces


		SF1	SF1 AIR	SF2	SF2 AIR	SF15	DF2	DF2 AIR
21/65H	н	-	-	-	-	1977	-	-
	L	-	-	-	-	776	-	-
	P	-	-	-	-	533	-	-
21/75	н	1270	1430	1270	1430	-	1270	1430
	L	1084	1084	1584	1584	-	584	1584
	P	570	570	570	570	-	800	800
21/85	Н	1370	1530	1370	1530	-	1370	1530
	L	1184	1184	1684	1684	-	1684	1685
	P	620	620	620	620	_	800	800
21/95	н	1490	1650	1490	1650	-	1490	1650
	L	1284	1284	1784	1784	-	1784	1784
	P	670	670	670	670	-	800	800
21/105	Н	-	-	1164	1325	-	-	-
	L	-	-	1884	1884	-	-	-
	P	-	-	570	570	-	-	-
21/125	н	1370	-	1370	-	-	1370	-
	L	1584	-	2084	-	-	2084	-
	P	640	-	640	-	-	800	-

H height (mm)

L width (mm)

P depth (mm)

E thickness visible from the front (mm)



The constant search for improvement...

Stûv invests enormously in research and development in both its own laboratory and thanks to its partnerships with specialists in the field of combustion. Each detail is important in optimising the performance of the stove. Stûv devices meet the most stringent standards in terms of respect for the environment. We give priority to ergonomy and simplicity at all stages – installation, use, maintenance – so that every user can use their Stûv exactly how they want it. This is the reason we provide detailed installation instructions, we select our sales network and organise training sessions for our retail and installations partners.

The Stûv guarantee

- + Stûv fires are renowned for their design and performance. They are also solid, reliable and durable.
- + The fires and their components are made in Europe with the utmost care. A well-main-tained Stûv fire is for life.
- + This is why Stûv offers the users of its products an extended guarantee. Three years' guarantee in addition to the legal guarantee.
- + In total, 5 years on the body of the fire, 3 years on the electrical components and 3 years on the other components.

What do you need to do to benefit from this extended guarantee?

Complete the guarantee form that you will find at the end of the user manual and return the hard copy to Stûv or - the easier option - complete the online form at stuv.com.



All Stûv fires are designed to burn wood with a humidity level of less than 20 %. All Stûv fires were tested according to EN 13240 CE and EN 13229. Complies with standards : Stûv 21/65 C, 21/125 SF : Flamme Verte 5*, (FR), BImSchV 1 (DE), LRV (CH), DIN+ (EU), BE Phase 1 & 2 (BE), VKF (CH) Stûv 21/65 H, 61/75 SF & DF, 21/85 SF & DF, 21/95 SF & DF, 21/105 SF : Flamme Verte 7*(FR), BImSchV 1 & 2 (DE), LRV (CH), DIN+ (EU), BE Phase 1, 2 & 3 (BE), VKF (CH) Stûv 125 DF : Flamme Verte 4* (FR), DIN+ (EU), VKF (CH) Stûv 21/135 SF : Flamme Verte 5* (FR), BImSchV 1 (DE), LRV (CH), DIN+ (EU), AEAI (CH)

Colophon

design Brigitte Boits styling Edith Vervest copy JP Nieuwerkerk communication manager Serge Alhadeff responsible editor Gérard Pitance

Documents and photos are for information purposes only. Stûv reserves the right to make changes without warning. Every care has been taken in the preparation of this brochure; however, we do not accept any responsibility for any mistakes that it may contain.



Olivier Vandentempel

p. 27 © Olivier samso, Arcand/Osa images; pp. 12, 14, 15, 18, 23, 25, 30, 32, 34, 37, 43 ©

EN - 93102115 -201501

Stûv 16 Pure simplicity

stûv 21+ Fire, both open and closed

Stûv 30 Subtle curves, endless possibilities

Stûv 30-compact Subtle curves, pure heat

Stûv microMega micro volume inside, Mega view of the flames

Stûv stoves are distributed by :

Stûv stoves are designed and manufactured by: **Stûv nv** rue Jules Borbouse 4 B - 5170 Bois - de - Villers Belgium t +32 (0)81 43 47 96 info@stuv.com **stuv.com** Join us on :



